50 LBS. (22.68 KG) NET WEIGHT NO. 13403775

EXCELERATOR D GOAT RATION

FEED AS A GROWER FOR GOATS MEDICATED

For the prevention of Coccidiosis in young goats caused by Eimeriachristenseni and Eimeria ninakohlyakimovae. Feed at least 28 days during periods of exposure or when experience indicates that cocciodiosis is likely to be a hazard.

ACTIVE DRUG INGREDIENT

Decoquinate
GUARANTEED ANALYSIS
*Crude Protein Minimum 16.0%
*(This includes not more than 1.2% equivalent non-protein nitrogen)
Crude Fat Minimum
Crude Fiber Maximum 20.0%
Calcium Minimum
Calcium
Phosphorus Minimum
Salt Minimum
Salt
Magnesium Minimum 0.2%
Potassium Minimum
Sulfur
Copper Minimum 28.0 ppm
Copper
Manganese Minimum 80.0 ppm
Selenium Minimum 0.2 ppm
Zinc Minimum
Vitamin A Minimum 5,000 IU/LB
Vitamin E
INGREDIENTS

Roughage products, processed grain by-products, grain products, plant protein products, forage products, molasses products, calcium carbonate, ammonium chloride, salt, calcium sulfate, silicon dioxide, zinc sulfate, copper sulfate, Vitamin E supplement, manganese sulfate, cobalt sulfate, Vitamin A supplement, selenium, Vitamin D supplement, magnesium oxide, zinc amino acid complex, manganese amino acid complex, copper amino acid complex, cobalt glucoheptonate, natural and artificial flavoring, sodium

selenite and ethylenediamine dihydriodide.

FEEDING DIRECTIONS ON BACKSIDE

50 LBS. (22.68 KG) NET WEIGHT NO. 13403785 NATURAL GOAT FOR GROWING YOUNG GOATS OR AS A COMPLETE FEED FOR DAIRY GOATS GUARANTEED ANALYSIS

Crude Protein Minimum 16.0%
Crude Fat Minimum
Crude Fiber Maximum 20.0%
Calcium Minimum 1.2%
Calcium Maximum
Phosphorus Minimum 0.4%
Salt
Salt
Magnesium Minimum 0.2%
Potassium Minimum 1.1%
Sulfur Minimum 0.2%
Copper Minimum 21.0 ppm
Copper Maximum 28.0 ppm
Selenium Minimum 0.2 ppm
Manganese Minimum 60.0 ppm
Zinc Minimum 110.0 ppm
Vitamin A Minimum 10,000 IÚ/LB
Vitamin D Minimum 4,000 IU/LB
Vitamin E Minimum 15 IU/LB
VICATION L

INGREDIENTS

Roughage products, processed grain by-products, grain products, plant protein products, molasses products, calcium carbonate, forage products, salt, calcium sulfate, silicon dioxide, Vitamin A supplement, zinc sulfate, diacon-d, Vitamin E supplement, sodium selenite, VItamin D supplement, copper sulfate, manganese sulfate, cobalt sulfate and ethylenediamine dihydriodide.

FEEDING DIRECTIONS

Feed to goats as a complete feed at the rate of 3.0% to 4.0% of their bodyweight for growth or milk production. If fed in combination with hay or forages, be sure that a sufficient amount of Hi-Pro's Natural Goat Ration is fed to provide the nutrients required for the level of growth, or milk production that is desired. The necessary amount of feed required will vary due to the quality of hay or forage and the environmental conditions occurring. Always provide plenty of clean fresh water for drinking. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

<u>CAUTION:</u> THIS FEED CONTAINS ADDED COPPER. DO NOT FEED TO SHEEP OR OTHER RELATED SPECIES.



50 LBS. (22.68 KG) NET WEIGHT

NO. 13404305 DEER CORN

FEED AS A SUPPLEMENT TO DEER GRAZING NATIVE PASTURE GUARANTEED ANALYSIS

Crude Protein	Minimum
Crude Fat	Minimum 1.0%
Crude Fiber	Maximum 3.0%

INGREDIENTS

Yellow Corn

FEEDING DIRECTIONS

Feed to wildlife grazing on native pasture. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

WARNING: DO NOT FEED TO HORSES





50 LBS. (22.68 KG) NET WEIGHT NO. 13403825

MAGNUM PASTURE 16 DEER PELLET

SUPPLEMENT TO WILD DEER GRAZING NATIVE PASTURE

GUARANTEED ANALYSIS

Crude Protein Minimum
Crude Fat Minimum 2.0%
Crude Fiber Maximum 15.0%
Calcium Minimum
Calcium
Phosphorus Minimum
Magnesium Minimum
Potassium Minimum
Copper Minimum 45.0 ppm
Copper Maximum 85.0 ppm
Selenium Minimum 0.2 ppm
Manganese Minimum 190.0 ppm
Zinc
Vitamin A Minimum 15,000 IU/LB
Vitamin E Minimum 30 IU/LB
1110

INGREDIENTS

Processed grain by-products, forage products, grain products, roughage products, plant protein products, molasses products, calcium carbonate, zinc sulfate, copper sulfate, Vitamin E supplement, manganese sulfate, cobalt sulfate, Vitamin A supplement, selenium, Vitamin D supplement, magnesium oxide, zinc amino acid complex, manganese amino acid complex, copper amino acid complex, cobalt glucoheptonate, calcium sulfate, silicon dioxide, monocalcium phos bagged, natural and artificial flavoring.

FEEDING DIRECTIONS

Feed as a supplement to deer in native pastures to provide protein, energy & minerals. If changing feeds, always mix in the old feed and new feed for one to two weeks to prevent digestive disturbances. Provide fresh, clean water at all times. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

CAUTION: THIS FEED CONTAINS ADDED COPPER. DO NOT FEED TO SHEEP OR OTHER RELATED SPECIES.



50 LBS. (22.68 KG) NET WEIGHT NO. 13403835

MAGNUM PASTURE 20 DEER PELLET A SUPPLEMENT FOR WILD DEER

GUARANTEED ANALYSIS

Crude Protein Minimum
Crude Fat Minimum 2.0%
Crude Fiber
Calcium Minimum
Calcium Maximum 2.0%
Phosphorus Minimum
Magnesium Minimum
Potassium Minimum
Sulfur
Copper Minimum 81.0 ppm
Copper Maximum 82.0 ppm
Manganese Minimum 290.0 ppm
Selenium Minimum 0.2 ppm
Zinc
Vitamin A Minimum 20,000 IU/LB
Vitamin E Minimum 50 IU/LB

INGREDIENTS

Processed grain by-products, plant protein products, grain products, forage products, roughage products, molasses products, calcium carbonate, monocalcium phosphate, zinc sulfate, copper sulfate, Vitamin E supplement, manganese sulfate, cobalt sulfate, Vitamin A supplement, selenium, Vitamin D supplement, magnesium oxide, zinc amino acid complex, manganese amino acid complex, copper amino acid complex, cobalt glucoheptonate, fat products, high fructose corn syrup, propylene glycol, polysorbate 60, glycerin, sulfuric acid, xanthan gum, ethoxyquin (a preservative), calcium sulfate, silicon dioxide, natural and artificial flavoring.

FEEDING DIRECTIONS

Feed as a supplement to native range at a rate to maintain desirable body condition and growth rate. For best results, feed during breeding season, winter season, antler growth period and during drought. Provide fresh, clean water at all times. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

CAUTION: THIS FEED CONTAINS ADDED COPPER. DO NOT FEED TO SHEEP OR OTHER RELATED SPECIES.



50 LBS. (22.68 KG) NET WEIGHT NO. 13401895 SELECT DEER PELLET A SUPPLEMENT FOR WILD DEER GUARANTEED ANALYSIS

Crude Protein Minimum
Crude Fat
Crude Fiber Maximum 13.5%
Calcium Minimum
Calcium
Phosphorus Minimum 0.6%
Magnesium Minimum 0.4%
Potassium Minimum
Sulfur Minimum
Manganese Minimum 70.0 ppm
Zinc Minimum 130.0 ppm
Copper Minimum 40.0 ppm
Copper
Selenium Minimum 0.3 ppm
Vitamin A Minimum 5,000 IÚ/LB
INIODEDIENTO

INGREDIENTS

Processed grain by-products, plant protein products, roughage products, molasses products, grain products, forage products, calcium carbonate, dried lignin sulfonate, salt, potassium sulfate, magnesium sulfate, natural and artificial flavoring, Vitamin A supplement, basic copper chloride, magnesium oxide, manganese sulfate, zinc sulfate, cobalt sulfate, ethylenediamine dihydriodide, ferrous carbonate, zinc amino acid complex, manganese amino acid complex, copper amino acid complex, cobalt glucoheptonate, sodium selenite, Vitamin E supplement, diacon-d, copper sulfate and Vitamin D supplement.

FEEDING DIRECTIONS

Feed as a supplement to deer in native pastures to provide protein, energy & minerals. If changing feeds, always mix the old feed and new feed for one to two weeks to prevent feed digestive disturbances. Provide fresh, clean water at all times. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

CAUTION: This feed contains added copper. Do not feed to sheep or other related species.



50 LBS. (22.68 KG) NET WEIGHT No. 13403725 SHO-PRO SWINE STARTER

FOR STARTER PIGS WEIGHING 20-50 POUNDS **GUARANTEED ANALYSIS**

Crude Protein	Minimum	.20.0%
Lysine	.Minimum	1.2%
	Minimum	
	Maximum	
Calcium	Minimum	0.5%
Calcium	Maximum	. 1.0%
	.Minimum	
	Minimum	
Salt	.Maximum	. 0.8%
Selenium	Minimum	.3 ppm
Zinc	Minimum 1940	0.0 ppm

INGREDIENTS

Grain products, plant protein products, animal protein products, calcium carbonate, monocalcium phosphate, salt, I-lysine monohydrochloride, zinc oxide, roughage products, I-threonine, dImethionine, zinc amino acid complex, manganese amino acid complex, copper amino acid complex, ferrous sulfate, copper sulfate. zinc sulfate, choline chloride, Vitamin E supplement, manganese sulfate, selenium yeast, grain products, dehydrated pichia pastoris fermentation extract, d-calcium pantothenate, chromium propionate, propionic acid, propylene glycol, mineral oil, niacin supplement, biotin, Vitamin B12 supplement, menadione dimethylpyrimidinol bisulfite. Vitamin A supplement, riboflavin supplement, pyridoxine hydrochloride, thiamine mononitrate, Vitamin D3 supplement, folic acid, ethylenediamine dihydriodide, vegetable oil, molasses products, calcium sulfate, silicon dioxide and natural and artificial flavoring.

FEEDING DIRECTIONS

Feed free choice as a starter feed. Feed continuously to pigs 20 to 50 pounds of body weight. Always provide clean fresh water for drinking. Keep feed fresh in cool, dry storage. Do not use feed that is old, molded or insect contaminated.

CAUTION: THIS FEED CONTAINS ADDED COPPER. DO NOT

FEED TO SHEEP OR OTHER RELATED SPECIES.

CAUTION: THIS FEED CONTAINS ADDED CHROMIUM. DO NOT EXCEED 0.5 MILLIGRAMS OF CHROMIUM FROM CHROMIUM PROPIONATE PER KILOGRAM OF THE COMPLETE FEED.



50 LBS. (22.68 KG) NET WEIGHT No. 13403735

SHO-PRO SHOW SWINE DEVELOPER 16%

A COMPLETE FEED FOR GROWER/FINISHER SWINE **GUARANTEED ANALYSIS**

6
6
6
6
6
6
6
6
6
n
n

INGREDIENTS

Grain products, plant protein products, processed grain by-products, calcium carbonate, salt, I-lysine, monocalcium phosphate, I-threonine, zinc amino acid complex, manganese amino acid complex, copper amino acid complex, ferrous sulfate, copper sulfate, choline chloride, zinc sulfate, dl-methionine, selenium yeast, Vitamin E supplement, manganese sulfate, dehydrated pichia pastoris fermentation extract, d-calcium pantothenate, chromium propionate, propionic acid, propylene glycol, mineral oil, niacin supplement, Vitamin B12 supplement, biotin, menadione dimethylpyrimidinol bisulfite, Vitamin A supplement, riboflavin supplement, pyridoxine hydrochloride, thiamine mononitrate, Vitamin D3 supplement, folic acid, ethylenediamine dihydriodide, vegetable oil, molasses products, calcium sulfate, silicon dioxide, sulfuric acid, sorbic acid, benzoic acid, ammonium hydroxide, calcium propionate, calcium bentonite and vermiculite.

FEEDING DIRECTIONS

Feed as sole ration for pigs from 50 lbs. of body weight to show or finish. Always provide plenty of clean fresh water for drinking. Keep feed fresh in cool, dry storage. Do not use feed that is old, molded or insect contaminated.

CAUTION: THIS FEED CONTAINS ADDED COPPER. DO NOT FEED

TO SHEEP OR OTHER RELATED SPECIES.

CAUTION: THIS FEED CONTAINS ADDED CHROMIUM. DO NOT EXCEED 0.5 MILLIGRAMS OF CHROMIUM FROM CHROMIUM PROPIONATE PER KILOGRAM OF THE COMPLETE FEED.



50 LBS. (22.68 KG) NET WEIGHT No. 13403745 SHO-PRO SWINE DEVELOPER 18%

A COMPLETE FEED FOR GROWER/FINISHER SWINE GUARANTEED ANALYSIS

INGREDIENTS

Grain products, plant protein products, processed grain by-products, calcium carbonate, salt, l-lysine, monocalcium phosphate, l-threonine, zinc amino acid complex, manganese amino acid complex, copper amino acid complex, ferrous sulfate, copper sulfate, choline chloride, zinc sulfate, dl-methionine, selenium yeast, Vitamin E supplement, manganese sulfate, dehydrated pichia pastoris fermentation extract, d-calcium pantothenate, chromium propionate, propionic acid, propylene glycol, mineral oil, niacin supplement, Vitamin B12 supplement, biotin, menadione dimethylpyrimidinol bisulfite, Vitamin A supplement, riboflavin supplement, pyridoxine hydrochloride, thiamine mononitrate, Vitamin D3 supplement, folic acid, ethylenediamine dihydriodide, vegetable oil, molasses products, calcium sulfate, silicon dioxide, sulfuric acid, sorbic acid, benzoic acid, ammonium hydroxide, calcium propionate, calcium bentonite and vermiculite.

FEEDING DIRECTIONS

Feed as sole ration to swine from 50 pounds of body weight until show or finish. Always provide plenty of clean fresh water for drinking. Keep feed fresh in cool, dry storage. Do not use feed that is old, molded or insect contaminated.

<u>CAUTION:</u> THIS FEED CONTAINS ADDED COPPER. DO NOT FEED TO SHEEP OR OTHER RELATED SPECIES.

<u>CAUTION:</u> THIS FEED CONTAINS ADDED CHROMIUM. DO NOT EXCEED 0.5 MILLIGRAMS OF CHROMIUM FROM CHROMIUM PROPIONATE PER KILOGRAM OF THE COMPLETE FEED.



50 LBS. (22.68 KG) NET WEIGHT

No. 13401935 SOUTHWEST BREEDER CUBE SHEEP 1/2"

FOR BREEDING SHEEP AND GOATS

GUARANTEED ANALYSIS

Crude Protein Minimum 20.0%
Crude Fat Minimum 2.0%
Crude Fiber Maximum 13.0%
Calcium Minimum 1.3%
Calcium Maximum 1.5%
Phosphorus Minimum 0.6%
Salt
Salt
Magnesium Minimum 0.3%
Potassium Minimum 1.1%
Selenium Minimum 0.06 ppm
Zinc
Copper Minimum 7.0 ppm
Vitamin A Minimum 19,000 IÚ/LB

INGREDIENTS

Processed grain by-products, plant protein products, molasses products, grain products, calcium carbonate, salt, Vitamin A supplement, zinc sulfate, manganese sulfate, magnesium oxide, ethylenediamine dihydriodide, cobalt sulfate, sodium selenite, ferrous carbonate, propionic acid, sulfuric acid, sorbic acid, benzoic acid, ammonium hydroxide, calcium propionate, calcium bentonite and vermiculite.

FEEDING DIRECTIONS

Feed 0.5 to 2 pounds per head per day to breeder sheep depending on age, stage of production cycle, sex and available forage. Always follow label directions. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated. Provide fresh clean water at all times.



50 LBS. (22.68 KG) NET WEIGHT

NO. 13402985 CALF CREEP 15% W/DCCX 45.4 G/T

FOR BEEF CATTLE IN CONFINEMENT MEDICATED

For the prevention of coccidiosis caused by Eimeria bovis and Eimeria zuernii.

ACTIVE DRUG INGREDIENT

GUARANTEED ANALYSIS

Crude Protein Minimum
Crude Fat Minimum
Crude Fiber
Calcium Minimum
Calcium Maximum 0.7%
Phosphorus Minimum
Salt
Salt
Potassium Minimum
Vitamin A Minimum 10,000 IU/LB
INCOEDIENTO

INGREDIENTS

Processed grain by-products, roughage products, grain products, molasses products, calcium carbonate, salt, plant protein products, fat products, high fructose corn syrup, propylene glycol, polysorbate 60, glycerin, sulfuric acid, xanthan gum, ethoxyquin (a preservative), propionic acid, sorbic acid, benzoic acid, ammonium hydroxide, calcium propionate, calcium bentonite, vermiculite, Vitamin A supplement, basic copper chloride, magnesium oxide, manganese sulfate, zinc sulfate, cobalt sulfate, ethylenediamine dihydriodide, ferrous carbonate, sodium selenite, Vitamin E supplement and diacon-d

FEEDING DIRECTIONS

Feed at the rate of 1.0 pounds per 100 pounds of body weight to provide 22.7 milligrams per 100 pounds of body weight. Feed at least 28 days during periods of coccidiosis exposure or when experience indicates that coccidiosis is likely to be a hazard. Coccidiostats are not indicated for use in adult animals due to continuous previous exposure.

<u>WARNING:</u> Do not feed to cows producing milk for food. Feed for at least 28 days during periods of coccidiosis exposure or when experience indicates that coccidiosis is likely to be a hazard. Feed type C feed or milk replacer to provide 22.7 mg per 100 pounds body weight (0.5 mg/kg) per day.

CAUTION: Do not use in feeds containing bentonite.

<u>CAUTION:</u> THIS FEED CONTAINS ADĎED COPPER. DO NOT FEED TO SHEEP OR OTHER RELATED SPECIES.



50 LBS. (22.68) NET WEIGHT NO. 13401745 RACE

TEXTURED GRAIN RATION FOR THE PERFORMANCE HORSE GUARANTEED ANALYSIS

Crude Protein Minimum
Lysine
Methionine Minimum
Crude Fat Minimum 8.5%
Crude Fiber Maximum 8.0%
Calcium Minimum
Calcium Maximum 1.2%
Phosphorus Minimum 0.7%
Salt
Salt
Copper Minimum 60 ppm
Selenium Minimum 0.6 ppm
Zinc Minimum 220.0 ppm
Vitamin A Minimum 5,000 IU/LB
Vitamin D Minimum
Vitamin E Minimum 150 IU/LB

INGREDIENTS

Whole oats, beet pulp dried plain, barley, canola meal, soybean meal, molasses products, vegetable oil, monocalcium phosphate, calcium carbonate, salt, Vitamin A supplement, Vitamin D supplement, Vitamin E supplement, dalpha tocopheryl acetate (source of natural Vitamin E), menadione sodium bisulfite complex (source of Vitamin K activity), Vitamin B12 supplement, yeast culture, active dry yeast, copper proteanate, manganese proteanate, zinc proteanate, selenium yeast, I-lysine, niacin supplement, monohydrochloride, d-calcium pantothenate, riboflavin supplement, thiamine mononitrate, biotin, folic acid, calcium iodate, zinc sulfate, copper sulfate, manganese sulfate, copper chloride, ferrous sulfate, sodium selenite, ethylenediamine dihydriodide, cobalt sulfate, magnesium oxide, manganous oxide, zinc oxide, cobalt carbonate, choline chloride, sodium sulfate, sodium sulfite, potassium sulfate, artificial and natural flavors.

FEEDING DIRECTIONS

Feed as the sole grain ration at the rate of 0.5 to 1.5% of body weight depending on condition, physical activity and/or production stage of the horse. For horses consuming more than 0.5% body weight per day, provide feed at a minimum of twice-a-day in equal portion. This is not a complete feed. Provide a source of good quality forage in the form of hay or pasture.

CAUTION: This feed contains added copper. Do not feed to sheep or other related species. Provide fresh, clean water at all times. Keep feed fresh in cool, dry storage. Do not use feed that is old, molded or insect contaminated.



50 LBS. (22.68) NET WEIGHT NO. 13401755

CLASSIC GOLD TEXTURED HORSE FEED

TEXTURED RATION FOR THE HORSE IN LIGHT TO MODERATE WORK

GUARANTEED ANALYSIS

Crude Protein Minimum
Lysine
Crude Fat Minimum 6.0%
Crude Fiber Maximum 7.5%
Calcium Minimum 0.8%
Calcium
Phosphorus Minimum
Copper Minimum 60.0 ppm
Selenium Minimum 0.6 ppm
Zinc
Vitamin A Minimum 3,000 IÚ/LB
Vitamin D Minimum 300 IU/LB
Vitamin E Minimum 130 IU/LB

INGREDIENTS

Whole oats, barley, cracked corn, canola meal, soybean meal, wheat middlings, roughage products (9.25%), molasses products, vegetable oil, monocalcium phosphate, calcium carbonate, salt, Vitamin A supplement, Vitamin D supplement, Vitamin E supplement, yeast culture, active dry yeast, I-lysine, zinc sulfate, copper sulfate, manganese sulfate, copper chloride, ferrous sulfate, sodium selenite, ethylenediamine dihydriodide, cobalt sulfate, magnesium oxide, manganous oxide, zinc oxide, cobalt carbonate, sodium sulfate, sodium sulfate, potassium sulfate, artificial and natural flavors.

FEEDING DIRECTIONS

Feed as the sole grain ration at the rate of 0.5 to 1.5% of body weight depending on condition, physical activity and/or production stage of the horse. For horses consuming more than 0.5% body weight per day, provide feed at a minimum of twice-a-day in equal portion. This is not a complete feed. Provide a source of good quality forage in the form of hay or pasture. Always provide fresh, clean water for drinking. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

<u>CAUTION:</u> THIS FEED CONTAINS ADDED COPPER. DO NOT FEED TO SHEEP OR OTHER RELATED SPECIES.



50 LBS. (22.68) NET WEIGHT NO. 13401765 PERFORMANCE

TEXTURED GRAIN RATION FOR THE PERFORMANCE HORSE GUARANTEED ANALYSIS

INGREDIENTS

Whole oats, barley, cracked corn, canola meal, soybean meal, ground alfalfa hay, stabilized rice bran, flax meal, wheat middlings, roughage products (8.5%), molasses products, vegetable oil, monocalcium phosphate, calcium carbonate, salt, Vitamin A supplement, Vitamin D supplement, Vitamin E supplement, d-alpha tocopheryl acetate (source of natural Vitamin E), menadione sodium bisulfite complex (source of Vitamin K activity), Vitamin B12 supplement, yeast culture, active dry yeast, brewers dried yeast, dried saccharomyces cervisiae fermentation solubles, I-lysine monohydrochloride, dl-methionine, yucca schidigera extract, copper proteinate, zinc proteinate, manganese proteinate, selenium yeast, folic acid, d-calcium pantothenate, choline chloride, riboflavin supplement, thiamine mononitrate, biotin, niacin supplement, pyridoxine hydrochloride, zinc sulfate, ferrous sulfate, manganese sulfate, copper sulfate, sodium selenite, calcium iodate, copper chloride, ethylenediamine dihydriodide, cobalt sulfate, magnesium oxide, zinc oxide, cobalt carbonate, propionic acid (preservation) artificial and natural flavors.

Feed as the sole grain ration at the rate of 0.5 to 1.5% of body weight depending on condition, physical activity and/or production stage of the horse. For horses consuming more than 0.5% body weight per day, provide feed at a minimum of twice-a-day in equal portion. This is not a complete feed. Provide a source of good quality forage in the form of hay or pasture. Provide fresh, clean water at all times. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

CAUTION: This feed contains added copper. Do not feed to sheep or other related species.



50 LBS. (22.68) NET WEIGHT NO. 13401775 SENIOR

TEXTURED RATION FOR THE AGED HORSE GUARANTEED ANALYSIS

Crude Protein Minimum	4.0%
Lysine	0.9%
Crude Fat Minimum	3.0%
Crude Fiber Maximum	
Calcium Minimum	
Calcium Maximum	
Phosphorus Minimum	
Copper Minimum	ppm
Selenium Minimum 0.5	ppm
Zinc Minimum 280.0	ppm
Vitamin A Minimum 7,000 I	U/LB
Vitamin D	U/LB
Vitamin E Minimum 150 I	J/LB

INGREDIENTS

Wheat middlings, ground alfalfa hay, stabilized rice bran, flax meal, canola meal, molasses products, vegetable oil, roughage products (3.5%), monocalcium phosphate, calcium carbonate, salt, Vitamin A supplement, Vitamin D supplement, Vitamin E supplement, d-alpha tocopheryl acetate (source of Vitamin K activity), Vitamin B12 supplement, yeast culture, active dry yeast, brewers dried yeast, dried saccharomyces cervisiae fermentation solubles, I-lysine monohydrochloride, dl-methionine, yucca schidigera, copper proteinate, zinc proteinate, manganese proteinate, selenium yeast, folic acid, d-calcium pantothenate, choline chloride, riboflavin supplement, thiamine mononitrate, biotin, niacin supplement, pyridoxine hydrochloride, zinc sulfate, ferrous sulfate, manganese sulfate, copper sulfate, cobalt sulfate, magnesium oxide, zinc oxide, cobalt carbonate, propionic acid (preservative), artificial and natural flavors.

FEEDING DIRECTIONS

Feed as the sole grain ration at the rate of 0.5 to 1.5% of body weight depending on condition, physical activity and/or production stage of the horse. For horses consuming more than 0.5% body weight per day, provide feed at a minimum of twice-a-day in equal portion. This is not a complete feed. Provide a source of good quality forage in the form of hay or pasture. Provide fresh, clean water at all times. Keep feed fresh in cool, dry storage. Do not use feed that is old, molded or insect contaminated.

<u>CAUTION:</u> THIS FEED CONTAINS ADDED COPPER. DO NOT FEED TO SHEEP OR OTHER RELATED SPECIES.



No. 13401785 RED BARN 10 ALL STOCK

FEED TO BEEF CATTLE IN A FEEDLOT, AS A GROWER TO LAMBS AND TO MATURE HORSES GUARANTEED ANALYSIS

Crude Protein Minimum 10.0%
Crude Fat Minimum 2.5%
Crude Fiber Maximum 13.0%
Calcium Minimum 1.0%
Calcium Maximum 1.5%
Phosphorus Minimum 0.5%
Salt
Salt
Potassium Minimum 0.9%
Copper Minimum
Copper Maximum 17.0 ppm
Selenium Minimum 0.2 ppm
Zinc Minimum 70.0 ppm
Vitamin A Minimum 1,300 IU/LB
INCREDIENTS

INGREDIENTS

Grain products, plant protein products, molasses products, propionic acid (a preservative), sulfuric acid, natural and artificial flavors, calcium carbonate, dicalcium phosphate, salt, calcium sulfate, silicon dioxide, fat products, high fructose corn syrup, ethoxyquin, (a preservative), basic copper chloride, magnesium oxide, manganese sulfate, zinc sulfate, cobalt sulfate, ethylenediamine dihydriodide, ferrous carbonate, sodium selenite, copper sulfate, ferrous sulfate, manganous oxide, zinc oxide, cobalt carbonate, Vitamin A supplement, Vitamin E supplement, Vitamin D supplement, sorbic acid, benzoic acid, ammonium hydroxide, calcium propionate, calcium bentonite, vermiculite, sodium sulfate, sodium sulfite, potassium sulfate, sodium bentonite, Vitamin A acetate and VItamin D3 supplement.

FEEDING DIRECTIONS

Feed to cows and bulls at a rate of 0.5 to 1.5% of body weight daily plus hay or pasture. Introduce to mature cattle slowly to prevent digestive upsets. Feed as sole ration for lambs at the rate of 1.5 to 3.0 pounds per head per day. For horses, feed at the rate of 0.5 to 1.0 pound per 100 pounds of body weight along with quality forage. Always provide fresh, clean water. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated



50 LBS. (22.68 KG) NET WEIGHT OR BULK

HI-PRO #13395025 CHLORTETRACYCLINE CRUMBLE

10 GRAM MEDICATED

Feed to calves, beef and nonlactating dairy cattle in a feedlot. For treatment of bacterial enteritis caused by *escherichia coli* and bacterial pneumonia caused by *pasteruella multocida* organisms susceptible to chlortetracycline.

ACTIVE DRUG INGREDIENT

Chlortetracycline 10 grams per pound

GUARANTEED ANALYSIS

Crude Protein Minimum	13.0%
Crude Fat Minimum	. 2.0%
Crude Fiber Maximum	20.0%

INGREDIENTS

Processed grain by-products, grain products molasses products.

FEEDING DIRECTIONS

Feed at the rate of 0.1 pounds per one hundred pounds body weight to furnish 10 milligrams chlortetracycline per pound body weight. Feed for 5 days.

<u>CAUTION:</u> Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug use by or on the order of a licensed veterinarian.

<u>WARNING:</u> Treat for no more than 5 days. Zero day withdrawal. A withdrawal period has not been established for this product in preruminating calves. Do not use in calves to be processed for veal.



50 LBS. (22.68 KG) NET WEIGHT HI-PRO #13402105 HI-PRO 16% CALF STARTER

FOR YOUNG DAIRY CALVES GUARANTEED ANALYSIS

INGREDIENTS

Grain products, plant protein products, calcium carbonate, dicalcium phosphate, salt, molasses products, urea formaldehyde resin, kaolin, calcium sulfate, silicon dioxide, fat products (feed grade), high fructose corn syrup, propylene glycol, polysorbate 60, glycerin, sulfuric acid, xanthan gum, ethoxyquin (a preservative), basic copper chloride, magnesium oxide, manganese sulfate, zinc sulfate, cobalt sulfate, ethylenediamine dihydriodide, ferrous carbonate, sodium selenite, copper sulfate, ferrous sulfate, manganous oxide, zinc oxide, cobalt carbonate, Vitamin A supplement, Vitamin E supplement, Vitamin D supplement, processed grain by-products, roughage products, condensed fermented corn extractives, propionic acid (a preservative), natural & artificial flavors, fat prducts, sodium bentonite, ammonium salt of propionic acid, polysorbate 80, sodium silico aluminate, dried enterococcus faecium fermentaion product, dried lactobacillus, acidophilus fermentation product, dried lactobacillus casei fermentation product, dried lactobacillus plantarum fermentation product, amorphous silicon dioxide, citric acid, soybean oil, butylated hydroxytoluene, phosphoric acid, butylated hydroxyanisole, diacon-d, sorbic acid, benzoic acid, ammonium hydroxide, calcium propionate, calcium bentonite, vermiculite, rice hulls, mineral oil, Vitamin A acetate.

FEEDING DIRECTIONS

Feed free choice to dairy calves as early as 3 days old. Consult your nutritionist for specific feeding directions. Always provide plenty of clean fresh water for drinking. Keep feed fresh in cool, dry storage. DO NOT use feed that is old, molded or insect contaminated.

<u>CAUTION:</u> THIS FEED CONTAINS ADDED COPPER. DO NOT FEED TO SHEEP OR OTHER RELATED SPECIES.



50 LBS. (22.68 KG) NET WEIGHT

NO. 13410165 BLUE TAG SHEEP FEED W/DCCX

FOR GROWING SHEEP MEDICATED

For the prevention of cocciodiosis in young sheep caused by Eimeria ovinoidalis, E. crandallis, E. parva and E. bakuensis.

ACTIVE DRUG INGREDIENT

Decoquinate 22.8 Grams per Ton

GUARANTEED ANALYSIS

Crude Protein* Minimum 14.0%
*(This includes not more than 1.2% equivalent protein from non-protein nitrogen)
Crude Fat Minimum 2.4%
Crude Fiber Maximum 21.0%
Calcium Minimum 1.6%
Calcium Maximum 2.1%
Phosphorus Minimum 0.3%
Salt Minimum 0.5%
Salt
Selenium Minimum 0.10 ppm
Vitamin A Minimum 4,000 IU/LB
INODEDIENTO

INGREDIENTS

Roughage products, grain products, processed grain by-products, forage products, molasses products, plant protein products, calcium carbonate, ammonium chloride, salt, zinc proteinate, Vitamin A supplement, manganese amino acid complex, manganese hydroxychoride, sodium selenite, Vitamin E supplement, Vitamin D supplement.

FEEDING DIRECTIONS

Feed as sole ration to growing lambs at a rate to provide 22.7 mg per 100 lbs. of bodyweight. (0.5 mg/kg) of decoquinate per head per day. For example, feed 2 lbs. per head per day for a 100 lb. lamb. Always provide plenty of fresh clean water for drinking.

WARNING: Do not feed to sheep producing milk for food.

CAUTION: Do not use in feeds containing bentonite.

LIMITATIONS: Feed at least 28 days during periods of exposure to cocciodiosis or when experience indicates that it is likely to be a hazard. Feed Type C feed or milk replacer at a rate to provide 22.7 mg decoquinate per 100 lb (0.5 mg/kg) bodyweight. Type C feed may be prepared from dry or liquid type B feed.

CAUTION: USE ONLY AS DIRECTED. FOR RUMINANTS (CATTLE,

SHEEP AND GOATS) ONLY.

