



AP 25

A Free Choice Supplement For Beef Cattle on Pasture and All Classes of Sheep and Goats

Guaranteed Analysis

Crude Protein, minimum _____	25.0%
Crude Fat, minimum _____	5.0%
Crude Fiber, maximum _____	2.0%
Calcium, minimum _____	1.3%
Calcium, maximum _____	1.8%
Phosphorus, minimum _____	1.0%
Potassium, minimum _____	2.5%
Cobalt, minimum _____	3 ppm
Copper, minimum _____	75 ppm
Copper, maximum _____	100 ppm
Iodine, minimum _____	15 ppm
Manganese, minimum _____	1,200 ppm
Selenium, minimum _____	6.6 ppm
Zinc, minimum _____	1,200 ppm
Vitamin A, minimum _____	80,000 IU/lb
Vitamin D, minimum _____	80 IU/lb

*Vitamin levels in this product have been temporarily reduced due to a global vitamin shortage.

Manufactured BY:

New Generation Supplements
P.O. Box 105
Poteau, Oklahoma 74953
www.smartlic.com

Performance Formulated

Ingredients

Cane molasses, hydrolyzed feather meal, processed grain by-products, cottonseed meal, hydrolyzed vegetable fat, monocalcium phosphate, dicalcium phosphate, zinc sulfate, manganese sulfate, sodium selenite, ethylenediamine dihydriodide, cobalt carbonate, vitamin A acetate, vitamin D supplement, vitamin E supplement.

Feeding Directions

Provide free-choice as a supplement to sheep or goats at the rate of one block for each 25 to 35 head and to pasture cattle, bison or horses at a rate of one block for each 15 to 25 head. Place blocks in each pasture near areas frequented by livestock, such as watering locations, shade or loafing areas. Cattle normally consume approximately 3/4 pound per head daily and sheep or goats will typically consume 3 to 4 ounces per head daily. Consumption may vary depending on climate, grazing conditions, condition of livestock and/or availability of other feeds. In situations where climate and/or other factors result in less than daily expected consumption, intake of supplement can be increased by increasing the number of blocks per pasture.

Provide access to fresh water and free-choice salt at all times.

Product No. P63250 Net Weight: 250 LB (113.4 kg)

CAUTION: Use as directed. Observe cattle and monitor intake daily.