

Fly Buster 30%

FOR ALL CLASSES OF CATTLE

PREVENTS ADULT HORN FLY EMERGENCE FROM
MANURE OF TREATED CATTLE

A Nutritional Supplement Containing S-Methoprene* Insect
Growth Regulator for Continuous Feeding to Cattle through the
Horn Fly Season.

ACTIVE INGREDIENT:

(S)-Methoprene (CAS #65733-16-6)..... 0.005%

OTHER INGREDIENTS:..... 99.995%

TOTAL 100.000%

* As the Insect Growth Regulator ALTOSID®

EPA Reg. # 2724-495-75319

EPA Est. # 075319-TX-001

GUARANTEED ANALYSIS

Crude Protein, min..... 30.00%

Not more than 10% equivalent protein
from non-protein nitrogen

Crude Fat, min 4.00%

Crude Fiber, max 2.50%

Calcium (Ca), min 2.00%

Calcium (Ca), max 3.00%

Phosphorus (P), min 1.00%

Magnesium (Mg), min 1.00%

Potassium (K), min 3.00%

Zinc (Z), min 1000 ppm

Manganese (Mn), min 800 ppm

Copper (Cu), min 250 ppm

Cobalt (Co), min 5 ppm

Iodine (I), min 20 ppm

Selenium (Se), min 6 ppm

Vitamin A, min IU/lb 100,000

Vitamin D3, min IU/lb 15,000

Vitamin E, min IU/lb 20

Total Sugars, (as invert), min 34.00%

FEED INGREDIENTS

Cane Molasses, Hydrolyzed Feather Meal, Cottonseed Meal,
Monocalcium Phosphate, Urea, Vegetable Oil, Calcium Carbonate,
Magnesium Oxide, Sodium Selenite, Copper Sulfate, Zinc Oxide,
Manganous Oxide, Propionic Acid (preservative), Cobalt
Carbonate, Zinc Sulfate, Manganese Sulfate, Vitamin A
Supplement, Vitamin E Supplement, Vitamin D3 Supplement and
Ethylene diamine Dihydride.

This product contains ethoxyquin, a preservative.

**KEEP OUT OF REACH OF
CHILDREN
CAUTION**



Manufactured by:
Hudson Livestock Supplements, Inc.
8150 Thompson Road
Miles, Texas 76861

NET WEIGHT 200 Lb (90.72 Kg)

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is
present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner
inconsistent with its labeling.

GENERAL INFORMATION

This pesticide product is to be used as a cattle feed-through
pesticide for the control of horn flies. All feed ingredients listed on
this product label must adhere to the specifications and limits (if
applicable) ascribed by the Food and Drug Administration (FDA)
for cattle feed use when mixed with this pesticide. This product
contains ethoxyquin, a preservative. The amount of ethoxyquin
may vary according to the individual manufacturer's formulation
and will not exceed the 150 ppm maximum limit established for
ethoxyquin by FDA, per 21 CFR 573.380.

FEEDING AND MANAGEMENT INSTRUCTIONS

Feed this product to cattle only. When used as directed, Fly Buster
30% will provide sufficient (S)-Methoprene insect growth regulator
to prevent the emergence of adult horn flies from manure of treated
cattle. Existing adult horn flies will not be affected. Start feeding
before horn flies appear and continue use until cold weather marks
the end of the horn fly season. Allow free choice to cattle. Cattle
should consume an average of 0.8 ounces of Fly Buster 30% per
100 lbs. of cattle body weight per day, which is equivalent to 8
ounces per day for a 1,000 pound cow.

To open: Remove top plastic cover.

1. Assure cattle are not starved for nutrients prior to feeding Fly
Buster 30%.
2. This product contains added copper. Do not feed to cattle in
close proximity to sheep or other species that have a low tolerance
to supplemental copper.
3. Offer cattle 1 tub of Fly Buster 30% for every 15-25 head of
cattle.
4. Remove all other self limiting nutritional supplements while
the cattle are consuming this product.
5. Locate Fly Buster 30% where cattle congregate (watering,
loafing, shade areas).
6. Replenish Fly Buster 30% on a regular basis as needed.
7. If intake of Fly Buster 30% is below 0.8 ounces per 100
pounds cattle body weight per day, increase the number of feeding
locations and/or change location(s) to areas more frequented by
cattle.
8. If intake of Fly Buster 30% is above 0.8 ounces per 100
pounds cattle body weight per day, reduce the number of feeding
locations and/or change location(s) to areas less frequented by
cattle.
9. Introduction of this product after adult horn fly infestation is
established will require treatment of cattle with adulticides if
elimination of the adult fly population is desired.

STORAGE AND DISPOSAL: Do not contaminate water, food,
or feed by storage or disposal.

Storage: Store Fly Buster 30% in a cool dry place.

Pesticide Disposal: Wastes resulting from the use of this product
may be disposed of on site or at an approved waste disposal
facility.

Container Handling: Nonrefillable container. Do not reuse or
refill this container. Offer for recycling if available, or puncture
and dispose of in a sanitary landfill or by incineration or if allowed
by state and local authorities by burning. If burned, stay out of
smoke.

ALTOSID® Insect Growth Regulator is a registered trademark of
Wellmark International.